


100 Cal ArcGuard Arc Flash Kit



1

Compliance

Arc Rating	100 cal/cm ²
CAT Level	CAT 4
Standards	• NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

	FR hook and loop front closureStand up collar for extra coverage
	 Rib knit cuffs for comfortable, secure fit Garments embroidered with arc rating
Features	 Quick disconnect and adjustable shoulder straps on bib overalls Side slant pockets on bib overalls Expandable leg opening to fit over boots
	 Hook and loop at side of bib for easy access Imported

Sizing Chart

ArcGuard® Kit Sizing Charts

	Arc Flash Coat (C04)				
Size	Chest	Sleeve Length			
SM	37" - 41"	36"			
MD	40" - 44"	37"			
LG	43" - 47"	38"			
XL	46" - 50"	39"			
2X	49" - 53"	40"			
3X	52" - 56"	40"			
4X	55" - 59"	41"			

*Other sizes available upon request

Arc Flash Bib Overall (C45)				
Size	Chest	Waist		
SM	31" - 34"	33" - 35"		
MD	34" - 37"	36" - 38"		
LG	37" - 40"	39" - 41"		
XL	40" - 44"	42" - 45"		
2X	44" - 48"	46" - 49"		
3X	48" - 52"	50" - 53"		
4X	52" - 56"	54" - 57"		

ArcGuard [®] Rubber Voltage Gloves				
Size	Hand Circumference			
8	8" or less			
9	8 - 9"			
10	9 - 10"			
11	10" - 11"			
12	11" - 12"			

