



Head protection

ONYX2 CL2

HARD HATS

Double-shell safety helmet, equipped with a visor, for protection CLASS 2 against electric arcs and molten metal splashes



Specific benefits



Comfort

- Balanced center of gravity to prevent and reduce any musculoskeletal disorder during prolonged use
- Features 3 textile straps with 6 attachment points for optimal weight distribution



Ease of Use

- Ratchet for an easy to set-up and remove
- Rotor® system (patented) a simple and quick adjustment with or without gloves



Hygiene

- Replaceable suspension for a better hygiene
- Removable brow pad washable and replaceable for a perfect hygiene solution

Technologies and labels



D-ONE-ROTOR

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Oil & Gas (Extraction)
- Power Energy

Certifications and norms



APC2 (7KA)

MM
LD
-20°C +50°C
440VAC



EN 50365
CLASS 0

ANSI-ISEA Z89.1
TYPE 1
CLASS E

EN 170
1,4

EN ISO 16321
16321 DELTA U1.4 ET 3 9 1-M
- DELTA UL1.4 ET 1 KN 9

Risk Protection



Heat



Shock



UV / IR



Electrical



Head protection

ONYX2 CL2

HARD HATS

Double-shell safety helmet, equipped with a visor, for protection CLASS 2 against electric arcs and molten metal splashes

Standards - Details

Technical details

Type of product	Specific helmet
Specific helmet	Arc flash helmet
Shell Material	ABS
Head Measurement (cm)	53-64
Headband Materials	PEBD
Adjustment	D Rotor Ratchet
Ventilation	Non vented
Main color	White
Suspension Points	6 points
Comfort Headband	Foam
Chin Strap Points	4 Point Chin Strap
Integrated option	Chin Strap, Shield
Custom logo	Unavailable
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	790
Weight (lbs)	1.7381
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	White
Type of conditioning	Sold by Unit
Chin Strap Material	Textile



Head protection

ONYX2 CL2

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection CLASS 2 against electric arcs and molten metal splashes

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
ONYX0Y102WHA D [ONYX2CL2BJ]	White	Adjustable	ONYX2 CL2	3295249319335	13295249319332	6	1	8.44 kg	33.4 cm	44.0 cm	76.8 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height