FLAMMABLE LIQUIDS STORAGE CABINET



CONSTRUCTION

Our safety cabinets have a fully welded double wall 18-gauge steel construction with 1-1/2"(38mm) insulating air space for increased fire protection. A 2.5" leak-proof sump, 3-point latching system and dual 2" capped vents with flame arrestors and grounding connector keep everything secure.

DURABLE MATERIAL

The cabinet is made of low-carbon cold-rolled steel and coated with a tough industrial polyester-epoxy hybrid powder, which is resistant to rust, dents and certain chemicals.

VARIOUS COLOR OPTIONS


Certified cabinets with optional colors for different storage purpose - Yellow series are your go-to workhorse for all-around, general flammable goods storage needs.

QUALITY CHECKED

Our safety cabinets are FM Approved (Factory Mutual Tested and Certified) and meet multiple international fire and safety certifications and standards, including OSHA, NFPA Code 30, IFC etc.


DOOR OPTIONS

Both manual door and self-closing door options are available.




SELF-CLOSING DEVICE

Our proprietary self-closing hardware enables instant door closure upon release.



FUSIBLE LINK

Connection device with fusible link holds the door open. It melts at critical high heat to trigger automatic door closure. This thermal release component is FM Approved per FM6050 standards.



STURDY GALVANIZED SHELF

Adjustable shelf for flexible storage needs.



3-POINT LATCHING SYSTEM

3-Point latching system keep the door securely shut.



DUAL 2" VENTS WITH FLAME ARRESTOR

FM Approved Built-in flame arresters block flame ingress for enhanced fire safety.



MAGNETIC CAP

Magnetic cap can be easily placed beside the vent while not in use.



FM APPROVED · OSHA® · NFPA® · IFC

Standard Safety Cabinets

Floor-standing baseline cabinet for bulk flammable liquid storage with full standard gallon sizes.

Model	Capacity Gallon	Size (in.) W X D X H	No. of Door	Door Type	No. of Shelf	Weight (lbs.)
SC12F-P	12	23x18x35	1	Manual Close	1	99
SC012SC	12	23x18x35	1	Self Close	1	132
SC16F-P	16	23x18x44	1	Manual Close	1	119
SC016SC	16	23x18x44	1	Self Close	1	136
SC22F-P	22	35x22x35	2	Manual Close	1	167
SC022SC	22	35x22x35	2	Self Close	1	192
SC24F-P	24	43x12x44	2	Manual Close	3	183
SC300F-P	30	43x18x44	2	Manual Close	1	213
SC030SC	30	43x18x44	2	Self Close	1	225
SC440F-P	44	34x18x65	2	Manual Close	3	258
SC450F-P	45	43x18x65	2	Manual Close	2	297
SC045SC	45	43x18x65	2	Self Close	2	317
SC600F-P	60	34x34x65	2	Manual Close	2	352
SC060SC	60	34x34x65	2	Self Close	2	368
SC90F-P	90	43x34x65	2	Manual Close	2	407



Stackable Safety Cabinets

Stackable safety cabinets feature a footprint matching standard cabinets to expand storage without additional floor or countertop space.

Model	Capacity Gallon	Size (in.) W X D X H	No. of Door	Door Type	No. of Shelf	Weight (lbs.)
SCH012	12	43x18x18	2	Manual Close	1	99



Drum Safety Cabinet

Drum safety cabinet is engineered for secure storage of two 55-gallon drums containing flammable liquids as well as auxiliary small-sized chemical containers.

Model	Capacity Gallon	Size(in.) W X D X H	No. of Door	Door Type	No. Of Shelf	Weight (lbs.)
SC110	110	59X34X65	2	Manual Close	1	488



Aerosol Safety Cabinets

Aerosol safety cabinets are fitted with roll-out shelves to hold standard aerosol cans.

Model	Capacity Gallon	Size (in.) W X D X H	No. of Door	Door Type	No. of Shelf	Weight (lbs.)
SC12P-P	12	23x18x35	1	Manual Close	2	101



Countertop Safety Cabinets

Countertop safety cabinets are sized for installation a top common work surfaces, enabling convenient access to contents at operational height.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
SC004	4	17x18x22	1	Manual Close	1	84
SC06F-P	6	23x18x22	1	Manual Close	1	117



FM APPROVED OSHA® NFPA®

maxbuild®

ACID CORROSIVE STORAGE CABINET



CONSTRUCTION

Our safety cabinets have a fully welded double wall 18-gauge steel construction with 1-1/2"(38mm) insulating air space for increased fire protection. A 2.5" leak-proof sump, 3-point latching system and dual 2" capped vents with flame arrestors and grounding connector keep everything secure.

DURABLE MATERIAL

The cabinet is made of low-carbon cold-rolled steel and coated with a tough industrial polyester-epoxy hybrid powder, which is resistant to rust, dents and certain chemicals.

VARIOUS COLOR OPTIONS

Certified cabinets with optional colors for different storage purpose - Blue for hazardous materials such as acids, bases, toxic materials, and oxidizers.

QUALITY CHECKED

Our safety cabinets are FM Approved (Factory Mutual Tested and Certified) and meet multiple international fire and safety certifications and standards, including OSHA, NFPA Code 30, IFC etc.


DOOR OPTIONS

Both manual door and self-closing door options are available.




SELF-CLOSING DEVICE

Our proprietary self-closing hardware enables instant door closure upon release.



FUSIBLE LINK

Connection device with fusible link holds the door open. It melts at critical high heat to trigger automatic door closure. This thermal release component is FM Approved per FM6050 standards.




STURDY GALVANIZED SHELF

Adjustable shelf for flexible storage needs.



3-POINT LATCHING SYSTEM

3-Point latching system keep the door securely shut.




DUAL 2" VENTS WITH FLAME ARRESTOR

FM Approved Built-in flame arresters block flame ingress for enhanced fire safety.



MAGNETIC CAP

Magnetic cap can be easily placed beside the vent while not in use.



SHELF LINER

For corrosive and pesticide liquids.

FM APPROVED OSHA NFPA IFC

Standard Safety Cabinets

Floor-standing baseline cabinet for bulk pesticide liquid storage with full standard gallon sizes.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
CC-12B-P	12	23x18x35	1	Manual Close	1	99
CC012SC	12	23x18x35	1	Self Close	1	132
CC16B-P	16	23x18x44	1	Manual Close	1	119
CC016SC	16	23x18x44	1	Self Close	1	136
CC22B-P	22	35x22x35	2	Manual Close	1	167
CC022SC	22	35x22x35	2	Self Close	1	192
CC24B-P	24	43x12x44	2	Manual Close	3	183
CC300B-P	30	43x18x44	2	Manual Close	1	213
CC030SC	30	43x18x44	2	Self Close	1	225
CC440B-P	44	34x18x65	2	Manual Close	3	258
CC450B-P	45	43x18x65	2	Manual Close	2	297
CC045SC	45	43x18x65	2	Self Close	2	317
CC600B-P	60	34x34x65	2	Manual Close	2	352
CC060SC	60	34x34x65	2	Self Close	2	368
CC090	90	43x34x65	2	Manual Close	2	407



Stackable Safety Cabinets

Stackable safety cabinets feature a footprint matching standard cabinets to expand storage without additional floor or countertop space.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
CCH012	12	43x18x18	2	Manual Close	1	99



Aerosol Safety Cabinets

Aerosol safety cabinets are fitted with roll-out shelves to hold standard aerosol cans.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
CC12P-P	12	23x18x35	1	Manual Close	1	101



Countertop Safety Cabinets

Countertop safety cabinets are sized for installation a top common work surfaces, enabling convenient access to contents at operational height.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
CC004	4	17x18x22	1	Manual Close	1	84
CC06B-P	6	23x18x22	1	Manual Close	1	117



FM APPROVED OSHA® NFPA® IFC

maxbuild®

PAINT &INK STORAGE CABINET



CONSTRUCTION

Our safety cabinets have a fully welded double wall 18-gauge steel construction with 1-1/2"(38mm) insulating air space for increased fire protection. A 2.5" leak-proof sump, 3-point latching system and dual 2" capped vents with flame arrestors and grounding connector keep everything secure.

DURABLE MATERIAL

The cabinet is made of low-carbon cold-rolled steel and coated with a tough industrial polyester-epoxy hybrid powder, which is resistant to rust, dents and certain chemicals.

VARIOUS COLOR OPTIONS


Certified cabinets with optional colors for different storage purpose - Yellow series are your go-to workhorse for all-around, general flammable goods storage needs.

QUALITY CHECKED

Our safety cabinets are FM Approved (Factory Mutual Tested and Certified) and meet multiple international fire and safety certifications and standards, including OSHA, NFPA Code 30, IFC etc.

DOOR OPTIONS

Both manual door and self-closing door options are available.



STURDY GALVANIZED SHELF

Adjustable shelf for flexible storage needs.



3-POINT LATCHING SYSTEM

3-Point latching system keep the door securely shut.



DUAL 2" VENTS WITH FLAME ARRESTOR

FM Approved Built-in flame arresters block flame ingress for enhanced fire safety.



MAGNETIC CAP

Magnetic cap can be easily placed beside the vent while not in use.



SELF-CLOSING DEVICE

Our proprietary self-closing hardware enables instant door closure upon release.



FUSIBLE LINK

Connection device with fusible link holds the door open. It melts at critical high heat to trigger automatic door closure. This thermal release component is FM Approved per FM6050 standards.



FM APPROVED OSHA® NFPA® IFC

Standard Safety Cabinets

Floor-standing baseline cabinet for bulk flammable liquid storage with full standard gallon sizes.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
PC12R-P	12	23x18x35	1	Manual Close	1	99
PC012SC	12	23x18x35	1	Self Close	1	132
PC16R-P	16	23x18x44	1	Manual Close	1	119
PC016SC	16	23x18x44	1	Self Close	1	136
PC22R-P	22	35x22x35	2	Manual Close	1	167
PC022SC	22	35x22x35	2	Self Close	1	192
PC24R-P	24	43x12x44	2	Manual Close	3	183
PC300R-P	30	43x18x44	2	Manual Close	1	213
PC030SC	30	43x18x44	2	Self Close	1	225
PC440P-P	44	34x18x65	2	Manual Close	3	258
PC450R-P	45	43x18x65	2	Manual Close	2	297
PC045SC	45	43x18x65	2	Self Close	2	317
PC600R-P	60	34x34x65	2	Manual Close	2	352
PC060SC	60	34x34x65	2	Self Close	2	368
PC090	90	43x34x65	2	Manual Close	2	407



Stackable Safety Cabinets

Stackable safety cabinets feature a footprint matching standard cabinets to expand storage without additional floor or countertop space.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
PCH012	12	43x18x18	2	Manual Close	1	99



Aerosol Safety Cabinets

Aerosol safety cabinets are fitted with roll-out shelves to hold standard aerosol cans.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
PC12P-P	12	23x18x35	1	Manual Close	1	101



Countertop Safety Cabinets

Countertop safety cabinets are sized for installation a top common work surfaces, enabling convenient access to contents at operational height.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
PC004	4	17x18x22	1	Manual Close	1	84
PC06P-P	6	23x18x22	1	Manual Close	1	117



FM APPROVED OSHA® NFPA® IFC

maxbuild®



PESTICIDE STORAGE CABINET

maxbuild®

CONSTRUCTION

Our safety cabinets have a fully welded double wall 18-gauge steel construction with 1-1/2"(38mm) insulating air space for increased fire protection. A 2.5" leak-proof sump, 3-point latching system and dual 2" capped vents with flame arrestors and grounding connector keep everything secure.

DURABLE MATERIAL

The cabinet is made of low-carbon cold-rolled steel and coated with a tough industrial polyester-epoxy hybrid powder, which is resistant to rust, dents and certain chemicals.

VARIOUS COLOR OPTIONS

Certified cabinets with optional colors for different storage purpose - Green for safe storage of gardening and turf related products such as pesticides, herbicides, and fertilizers.

QUALITY CHECKED

Our safety cabinets are FM Approved (Factory Mutual Tested and Certified) and meet multiple international fire and safety certifications and standards, including OSHA, NFPA Code 30, IFC etc.


DOOR OPTIONS

Both manual door and self-closing door options are available.



SELF-CLOSING DEVICE

Our proprietary self-closing hardware enables instant door closure upon release.



FUSIBLE LINK

Connection device with fusible link holds the door open. It melts at critical high heat to trigger automatic door closure. This thermal release component is FM Approved per FM6050 standards.




STURDY GALVANIZED SHELF

Adjustable shelf for flexible storage needs.



3-POINT LATCHING SYSTEM

3-Point latching system keep the door securely shut.



DUAL 2" VENTS WITH FLAME ARRESTOR

FM Approved Built-in flame arresters block flame ingress for enhanced fire safety.

MAGNETIC CAP

Magnetic cap can be easily placed beside the vent while not in use.

SHELF LINER

For corrosive and pesticide liquids.

FM APPROVED OSHA® NFPA® IFC

Standard Safety Cabinets

Floor-standing baseline cabinet for bulk pesticide liquid storage with full standard gallon sizes.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
EC12G-P	12	23x18x35	1	Manual Close	1	99
EC012SC	12	23x18x35	1	Self Close	1	132
EC16G-P	16	23x18x44	1	Manual Close	1	119
EC016SC	16	23x18x44	1	Self Close	1	136
EC22G-P	22	35x22x35	2	Manual Close	1	167
EC022SC	22	35x22x35	2	Self Close	1	192
EC24G-P	24	43x12x44	2	Manual Close	3	183
EC300G-P	30	43x18x44	2	Manual Close	1	213
EC030SC	30	43x18x44	2	Self Close	1	225
EC4E0G-P	44	34x18x65	2	Manual Close	3	258
EC450G-P	45	43x18x65	2	Manual Close	2	297
EC045SC	45	43x18x65	2	Self Close	2	317
EC600G-P	60	34x34x65	2	Manual Close	2	352
EC060SC	60	34x34x65	2	Self Close	2	368
EC090	90	43x34x65	2	Manual Close	2	407



Stackable Safety Cabinets

Stackable safety cabinets feature a footprint matching standard cabinets to expand storage without additional floor or countertop space.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
ECH012	12	43x18x18	2	Manual Close	1	99



Aerosol Safety Cabinets

Aerosol safety cabinets are fitted with roll-out shelves to hold standard aerosol cans.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
EC12P-P	12	23x18x35	1	Manual Close	1	101



Countertop Safety Cabinets

Countertop safety cabinets are sized for installation a top common work surfaces, enabling convenient access to contents at operational height.

Model	Capacity Gallon	Size(in.) W x D x H	No. of Door	Door Type	No. of Shelf	Weight Lbs.
EC004	4	17x18x22	1	Manual Close	1	84
EC06G-P	6	23x18x22	1	Manual Close	1	117



FM APPROVED OSHA NFPA IFC

maxbuild®