

KPG 10



250°C HEAT RESISTANT KEVLAR® GLOVE - 10 CM WRIST

Ref. KPG10



Product specifications

Kevlar® Technology outside. 100% cotton lining. Gauge 7.

Exterior 100% Kevlar® (short fibres).

100% Cotton inside.

Kevlar® is a registered trademark of DuPont de Nemours.

COLOUR

Yellow

SIZE

09

Product Use - Risks



Heat



Cutting / Perforation



Wearing



Light industry

Product's highlights & user's benefits



Kevlar®/ Cotton knit

Optimum performance for cuts and heat thanks to the thickness with the cotton lining

Knit Gauge 7

Excellent compromise between thermal resistance and dexterity



100% textile

Ambidextrous
Washable

10 cm ribbed cuff

Better protection of the arteries



Cut level D



Cut level 5

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

2: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

1: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

X: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

4: Resistance to flammability (from 1 to 4)

2: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)



References

References	Bar code	COLOUR	SIZE		
KPG1009	3295249035433	Yellow	09	36	6